



Accommodation

Protecting life safety, service continuity and high value assets such as:

Exclusive Residences
Apartments, Hotels,
Shops & Offices

The shortcomings of conventional systems are **obvious**

Challenges faced...



Aesthetics

Many exclusive homes, luxury apartments and executive office interiors have their aesthetics compromised by the presence of conventional point (spot) smoke detectors. Architects are looking for alternatives which can provide discreet or invisible detection.

Access

Maintenance of conventional smoke detectors in large housing estates and serviced accommodation is often difficult and expensive where access to the detector is regulated and complicated by privacy concerns.




Assured Performance

Risk of tampering or misuse is a challenge for conventional smoke detectors. If burnt toast or cigarette smoking causes tenants to restrict air flow to a detector, how would you know?

Vandalism and Nuisance Alarms

Where conventional detectors are placed in public spaces they are obvious and recognizable. They get vandalized and are subject to mischief causing nuisance alarms, both at great cost to service continuity and maintenance budgets.



Asset Protection


Loss of precious possessions from smoke and fire damage can be enormous and difficult to prevent without early warning detection. Water released by any sprinklers might control a fire for the benefit of a building structure but would most likely destroy occupier assets. Costs and delays for clean up of smoke and water damage can be massive.

Life Safety and Environmental Quality

Reducing the risk of injury and loss of life from smoke inhalation requires a dependable system that provides local annunciation and remote indication to first responders. Improving the quality of the air within the occupied environment requires more sophisticated sampling technologies than are commonly available.



Xtralis VESDA Solutions...



Aesthetics

The Xtralis VESDA family of Air-sampling Smoke Detectors (ASD) sample smoke through piping that can be easily installed and concealed. In properties with ornate ceilings the microbore sampling pipe or discreet sampling points can be installed without either damaging or disfiguring the building structure.

All that can be seen of this high-tech smoke and gas detection system is an unobtrusive capillary tube or fitting painted to match the decor (as shown) or a low profile stainless steel sampling point.

Access

Air-sampling smoke detectors can be located outside of the protected space, allowing convenient servicing of the system without necessarily requiring access or interruption.



Assured Performance

Xtralis VESDA ASD detectors actively draw air samples to a central detector for analysis and constantly monitor the airflow to ensure reliable sampling. Any tampering with the pipe network or restriction on the airflow raises a fault that can be indicated locally to occupants or centrally to maintenance staff.

Vandalism and Nuisance Alarms

Xtralis VESDA detectors provide multiple levels of alarm to provide time to respond to an event with the appropriate level of urgency and the minimum disruption. Very early warning alarms can alert facility management staff or occupants to respond before brigade or emergency services are involved. Rugged vandalism-proof sampling points are available for high-traffic and high-risk public spaces.



Asset Protection

The very high sensitivity of Xtralis VESDA detectors (typically 1000 times more sensitive than conventional detectors) can provide time for investigation of the earliest signs of incipient fire, before smoke is even visible. Risks of flaming fire and large volumes of smoke can often be completely avoided and actuation of suppression systems avoided. Should suppression be required, Xtralis VESDA solutions provide the most reliable detection of high levels of smoke.



Life Safety and Environmental Quality

The very early warning capabilities of Xtralis VESDA detectors allows monitoring for very low levels of smoke often seen in smoldering fires and below levels known to be toxic or unhealthy. In addition, these unique systems can provide monitoring for harmful gases to more completely monitor the quality of the occupied environment.



Xtralis VESDA is the #1 brand specified by fire prevention professionals around the world

Why use a Xtralis VESDA system?

When selecting an aspirating smoke detection system for an exclusive residence, apartment or office, consider:

Look for	Why?	What Xtralis VESDA offers
The highest sensitivity	To achieve the earliest possible warning of a fire.	Xtralis VESDA can detect smoke at 0.005% obscuration per metre.
A wide sensitivity range	So that detection levels can be set to suit the environment, avoiding false alarms, and allowing appropriate responses throughout the life-cycle of a fire.	Xtralis VESDA detectors have a sensitivity range of 0.005%–20% obscuration/m.
A redundant peer-to-peer communications network	To give you flexibility in positioning and programming detectors and display modules.	The Xtralis VESDAnet communications network allows you complete installation flexibility.
Multiple programmable alarm thresholds	So that the response can be appropriate for the stage of the fire, from 'Investigate' at the first alarm through to 'Activate smoke exhaust system' or 'Release suppression' at the fourth alarm level.	Xtralis VESDA has 4 programmable alarm levels.
Event log and reporting	A forensic tool for investigating faults, alarms, user actions and smoke trends	Each Xtralis VESDA detector has an event log that stores the last 18000 events.
A wide product range	So that there's a product to suit any size area that you want to protect... from a large open hotel atrium to within the confines of a single room apartment.	Xtralis VESDA has the widest product range on the market.
Protected optics and absolute calibration	Ensures repeatable and reliable detection of very slow growth incipient fires and long life without need for drift compensation or relative scaling.	Xtralis VESDA detectors feature a clean-air barrier to keep all optics free of contamination for a long service life without calibration.
Broad range of integration options	Choice of fire systems and partners.	Open interfaces, flexible integration options and a strong partner network.
Monitoring and control of smoke detectors from a Central Monitoring Station or Emergency Control Room	Allows response to be controlled and monitored from a central point by trained operators.	Using Xtralis VESDA System Management (VSM4) software, every Xtralis VESDA detector can be controlled and monitored remotely.
An accredited global distribution and support network supported by strong applications engineering experience	So you get the right technical advice when you need it.	All distributors of Xtralis VESDA products are factory-accredited.

Approvals



CCCF

Need more information?

Contact your local Xtralis office or visit us on the web at www.xtralis.com/vesda to access information about the Xtralis VESDA smoke detector product range.

www.xtralis.com www.vesda.ru **Дистрибьютор в России (СНГ)** +7 495 967 9339 +7 495 502 6619

The Americas +1 781 740 2223 **Asia** +852 2916 8894 **Australia and New Zealand** +61 3 9936 7000

Continental Europe +32 56 24 19 51 **UK and the Middle East** +44 1442 242 330

The contents of this document are provided on an "as is" basis. No representation or warranty (either express or implied) is made as to the completeness, accuracy or reliability of the contents of this document. The manufacturer reserves the right to change designs or specifications without obligation and without further notice. Except as otherwise provided, all warranties, express or implied, including without limitation any implied warranties of merchantability and fitness for a particular purpose are expressly excluded.

This document includes registered and unregistered trademarks. All trademarks displayed are the trademarks of their respective owners. Your use of this document does not constitute or create a licence or any other right to use the name and/or trademark and/or label.

This document is subject to copyright owned by Xtralis AG ("Xtralis"). You agree not to copy, communicate to the public, adapt, distribute, transfer, sell, modify or publish any contents of this document without the express prior written consent of Xtralis.

